



# Safety Data Sheet

according to WHS Regulations

Printing date 15.02.2019

Revision: 15.02.2019

## 1 Identification

**Product Name: ORANGE SILICA GEL****Recommended Use of the Chemical and Restriction on Use:**

Pipe line dryers, transformer breathers, protection of electronic equipment from moisture and general application where moisture control and prevention is critical.

**Details of Manufacturer or Importer:**

Enviro-Tronics  
Unit 3, 175 Briens Rd  
Northmead NSW 2152

**Phone Number:** 02 9630 5277**Emergency telephone number:** 0413 943 153

## 2 Hazard(s) Identification

**Hazardous Nature:**

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

The product is not classified, according to the Globally Harmonised System (GHS).

**Signal Word** None**Hazard Statements** None**Precautionary Statements** None

## 3 Composition and Information on Ingredients

**Chemical Characterization: Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

CAS: 112926-00-8	Silica gel, precipitated, crystalline free	99.57%
CAS: 548-62-9	C.I. Basic Violet 3 ⚠ Carcinogenicity 2, H351; ⚠ Serious Eye Damage/Irritation 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Toxicity (Oral) 4, H302	0.09%

## 4 First Aid Measures

**Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

**Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

**Eye Contact:**

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

**Ingestion:**

If swallowed, do not induce vomiting. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

(Contd. on page 2)

# Safety Data Sheet

## according to WHS Regulations

Printing date 15.02.2019

Revision: 15.02.2019

**Product Name: ORANGE SILICA GEL**

(Contd. of page 1)

**Symptoms Caused by Exposure:**

Inhalation: Dust may cause mechanical respiratory irritation.

Skin Contact: May cause skin dryness or cracking.

Eye Contact: Dust may cause mechanical eye irritation.

Ingestion: Ingestion is not considered a potential route of exposure.

### 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Water spray, alcohol resistant foam, dry chemical and carbon dioxide.**Specific Hazards Arising from the Chemical:**

Hazardous decomposition products include silicon oxides.

Not combustible. Will not burn or support combustion.

Containers close to fire should be removed only if safe to do so.

**Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

### 6 Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear dust mask and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

**Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

**Methods and Materials for Containment and Cleaning Up:**

Collect spilt product with vacuum equipment fitted with HEPA filters or wet sweeping technique. Use dust suppressant if needed. Collect in suitable, closed containers for subsequent disposal. Avoid generating dust. Provide adequate ventilation.

### 7 Handling and Storage

**Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust.

Food, beverages and tobacco products should not be stored or consumed where this material is in use.

Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

**Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Keep away from strong oxidising agents. Avoid generating dust.

### 8 Exposure Controls and Personal Protection

**Exposure Standards:****CAS: 112926-00-8 Silica gel, precipitated, crystalline free**NES | TWA: 10 mg/m<sup>3</sup>**Engineering Controls:**

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

**Respiratory Protection:**

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

(Contd. on page 3)

# Safety Data Sheet

## according to WHS Regulations

Printing date 15.02.2019

Revision: 15.02.2019

**Product Name: ORANGE SILICA GEL**

(Contd. of page 2)

**Skin Protection:**

Protective gloves are recommended. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

**Eye and Face Protection:**

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

### 9 Physical and Chemical Properties

**Appearance:**

<b>Form:</b>	Solid granules
<b>Colour:</b>	Orange (dry) or dark-green (wet)
<b>Odour:</b>	Odourless
<b>Odour Threshold:</b>	Not determined.
<b>pH-Value:</b>	3 - 8
<b>Melting point/freezing point:</b>	>1000 °C
<b>Initial Boiling Point/Boiling Range:</b>	>2300 °C
<b>Flash Point:</b>	Not applicable
<b>Flammability:</b>	Product is not flammable.
<b>Auto-ignition Temperature:</b>	Not applicable
<b>Decomposition Temperature:</b>	No information available
<b>Explosion Limits:</b>	
<b>Lower:</b>	Not applicable
<b>Upper:</b>	Not applicable
<b>Vapour Pressure:</b>	Not applicable.
<b>Relative Density at 20 °C:</b>	~2.1 g/cm <sup>3</sup>
<b>Vapour Density:</b>	Not applicable.
<b>Evaporation Rate:</b>	Not applicable
<b>Solubility in Water:</b>	Insoluble
<b>Partition Coefficient (n-octanol/water):</b>	No information available
<b>Viscosity:</b>	No information available

### 10 Stability and Reactivity

**Possibility of Hazardous Reactions:** Hazardous polymerisation will not occur.

**Chemical Stability:** Stable at ambient temperature and under normal conditions of use.

**Conditions to Avoid:** Avoid generating dust.

**Incompatible Materials:** Strong oxidising agents.

**Hazardous Decomposition Products:** Silicon oxides.

(Contd. on page 4)

# Safety Data Sheet

according to WHS Regulations

Printing date 15.02.2019

Revision: 15.02.2019

**Product Name: ORANGE SILICA GEL**

(Contd. of page 3)

## 11 Toxicological Information

**Toxicity:****LD<sub>50</sub>/LC<sub>50</sub> Values Relevant for Classification:****CAS: 112926-00-8 Silica gel, precipitated, crystalline free**Oral LD<sub>50</sub> > 31600 mg/kg (rat)Dermal LD<sub>50</sub> > 2000 mg/kg (rabbit)**CAS: 548-62-9 C.I. Basic Violet 3**Oral LD<sub>50</sub> 420 mg/kg (rat)**Acute Health Effects****Inhalation:** Dust may cause mechanical respiratory irritation.**Skin:** May cause skin dryness or cracking.**Eye:** Dust may cause mechanical eye irritation.**Ingestion:** Ingestion is not considered a potential route of exposure.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** No sensitising effects known.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**

Based on classification principles, the classification criteria are not met.

**Aspiration Hazard:** Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:** No information available

## 12 Ecological Information

**Ecotoxicity:****Aquatic toxicity:** C.I. Basic Violet 3 is toxic to aquatic life.**Persistence and Degradability:** Silica is not biodegradable and is expected to persist in the soil.**Bioaccumulative Potential:** Silica is not considered to be bioaccumulative.**Mobility in Soil:**

Silica is expected to combine with the soil or sediment due to its similarity with inorganic soil or sediment matter.

**Other adverse effects:** No further relevant information available.

## 13 Disposal Considerations

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.

(Contd. on page 5)

# Safety Data Sheet

## according to WHS Regulations

Printing date 15.02.2019

Revision: 15.02.2019

**Product Name: ORANGE SILICA GEL**

(Contd. of page 4)

**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

**14 Transport Information****UN Number** Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated**15 Regulatory Information****Australian Inventory of Chemical Substances:**

CAS: 112926-00-8 Silica gel, precipitated, crystalline free

CAS: 548-62-9 C.I. Basic Violet 3

**Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:**

Not Scheduled.

**16 Other Information****Date of Preparation or Last Revision:** 15.02.2019**Prepared by:** MSDS.COM.AU Pty Ltd

www.msds.com.au

**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC<sub>50</sub>: Lethal concentration, 50 percentLD<sub>50</sub>: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1

Carcinogenicity 2: Carcinogenicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

**Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Enviro-Tronics makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.